



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

I MAX INTERNATIONAL SRL
Viale Emilia 41
47838 Riccione Rn
ITALY

| | |
|-----------------------|-----------------------|
| CTL [®] -No. | 354417+355010/4 |
| [Order date] | --- |
| [Arrival date CTL] | --- |
| [Date] | 26.06.2012/08.10.2012 |

www.ctl-tattoo.eu

Certificate

[Article] 1 sample of a tattoo colour
[Brand] FLASHING COLORS
[Colour] Indigo Violet
[Test] Aromatic amines and carcinogens acc. to COE Resolution ResAP(2008)1: Part 1a, Part 1b

| Part 1a | | | | § 64 LFGB 82.02-2,3,4,9 | | | |
|--|------------------------------|-----------|----------|---------------------------------|-------------------------------------|------------|-------------|
| Investigation of aromatic amines with carcinogenic, mutagenic, reprotoxic and sensitising properties according to COE Resolution ResAP(2008)1 Detection limit: 1 ppm; Limit: as low as technically avoidable | | | | GC/MS Analysis HPLC Analysis | | | |
| Amount (ppm) | Amine | EC-No. | CAS-No. | Amount (ppm) | Amine | EC-No. | CAS-No. |
| --- | Biphenyl-4-ylamine | 202-177-1 | 92-67-1 | --- | 3,3'-Dimethoxybenzidine | 204-355-4 | 119-90-4 |
| --- | Benzidine | 202-199-1 | 92-87-5 | --- | 3,3'-Dimethylbenzidine | 204-358-0 | 119-93-7 |
| --- | 4-Chloro-o-toluidine | 202-411-6 | 95-69-2 | --- | 4,4'-Methylenedi-o-toluidine | 212-658-8 | 838-88-0 |
| --- | 2-Naphthylamine | 202-080-4 | 91-59-8 | --- | 6-Methoxy-m-toluidine | 204-419-1 | 120-71-8 |
| --- | o-Aminoazotoluene | 202-591-2 | 97-56-3 | --- | 4,4'-Methylenebis-(2-chloroaniline) | 202-918-9 | 101-14-4 |
| --- | 5-Nitro-o-toluidine | 202-765-8 | 99-55-8 | --- | 4-Methyl-m-phenylenediamine | 202-453-1 | 95-80-7 |
| --- | 4-Chloroaniline | 203-401-0 | 106-47-8 | --- | o-Anisidine | 201-963-1 | 90-04-0 |
| --- | 4-Methoxy-m-phenylenediamine | 210-406-1 | 615-05-4 | --- | 4-Aminoazobenzene | 200-453-6 | 60-09-3 |
| --- | 4,4'-Methylenedianiline | 202-974-4 | 101-77-9 | --- | 6-Amino-2-ethoxynaphthaline | --- | 293733-21-8 |
| --- | 3,3'-Dichlorobenzidine | 202-109-0 | 91-94-1 | --- | 4-Amino-3-fluorophenol | 418-230-9 | 399-95-1 |
| Part 1b | | | | § 64 LFGB 82.02-2,3,4,9 | | | |
| Investigation of carcinogens classified in Categories 1, 2 and 3 by the European Commission and mentioned in the Council Directive 1967/548/EEC of 27 June 1967 according to COE Resolution ResAP(2008)1 Detection limit: 1 ppm | | | | GC/MS Analysis HPLC Analysis | | | |
| Amount (ppm) | Amine | EC-No. | CAS-No. | Amount (ppm) | Amine | EC-No. | CAS-No. |
| --- | 4,4'-Oxydianiline | 202-977-0 | 101-80-4 | --- | Para-phenylenediamine | 2003-404-7 | 106-50-3 |
| --- | 4,4'-Thiodianiline | 205-370-9 | 139-65-1 | --- | 2,4 Xylidine | --- | 95-68-1 |
| --- | o-Toluidine | 202-429-0 | 95-53-4 | --- | 2,6 Xylidine | --- | 87-62-7 |
| --- | 2,4,5-Trimethylaniline | 205-282-0 | 137-17-7 | | | | |

(Handwritten signature)
Dr. rer. nat. G. Prior

BIELEFELD, 08. OCTOBER 2012

[---] = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

| | | | | | |
|---|---|---|---|---|--|
| Bank Account No Bank Code SWIFT/BIG IBAN | Sparkasse Gütersloh 400 53 45 478 500 65 WELADED 1 GTL DE 67 47850065 000 4005345 | Address Managing Director Based in Register of Companies VAT ID No | Krackser Straße 12 33659 Bielefeld, Germany Dr. rer. nat. Gerald Prior Bielefeld AG Bielefeld, HRB 35-412 DE 176 26 5000 | [Tel] [Fax] [Email] [Homepage] | +49 521 400 82 89 0 +49 521 446 51 52 info@ctl-bielefeld.de ctl-bielefeld.de ctl-tattoo.net ctl-pmu.net |
|---|---|---|---|---|--|

**CTL[®] GmbH**

CHEMICAL-TECHNOLOGICAL LABORATORY

CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | GermanyI MAX INTERNATIONAL SRL
Viale Emilia 41
47838 Riccione Rn
ITALYCTL[®]-No **354417+355010/4**[Order date] ---
[Arrival date CTL] ---
[Date] 26.06.2012/08.10.2012www.cti-tattoo.eu**Certificate**[Article] 1 sample of a tattoo colour
[Brand] FLASHING COLORS
[Colour] Indigo Violet
[Test] acc. to COE Resolution ResAP(2008)1: Part 2

| Part 2 Investigation of Dyestuffs according to COE Resolution ResAP(2008)1 Detection limit: 5 mg/L | | | | DIN 54231 in the up-to-date legislation GC/MS Analysis HPLC Analysis TLC Analysis | | | |
|--|-------------------|--------|------------|--|--------------------|---------|------------|
| Amount (ppm) | Colourant | CI-No. | CAS-No. | Amount (ppm) | Colourant | CI-No. | CAS-No. |
| --- | Acid Green 16 | 44025 | 12768-78-4 | --- | Disperse Orange 37 | | 12223-33-5 |
| --- | Acid Red 26 | 16150 | 3761-53-3 | --- | Disperse Red 1 | 11110 | 2872-52-8 |
| --- | Acid Violet 17 | 42650 | 4129-84-4 | --- | Disperse Red 17 | 11210 | 3179-89-3 |
| --- | Acid Violet 49 | 42640 | 1694-09-3 | --- | Disperse Yellow 3 | 11855 | 2832-40-8 |
| --- | Acid Yellow 36 | 13065 | 587-98-4 | --- | Disperse Yellow 9 | 10375 | 6373-73-5 |
| --- | Basic Blue 7 | 42595 | 2390-60-5 | --- | Pigment Orange 5 | 12075 | 3468-63-1 |
| --- | Basic Green 1 | 42040 | 633-03-4 | --- | Pigment Red 53 | 15585 | 2092-56-0 |
| --- | Basic Red 1 | 45160 | 989-38-8 | --- | Pigment Violet 3 | 42535.2 | 1325-82-2 |
| --- | Basic Red 9 | 42500 | 569-61-9 | --- | Pigment Violet 39 | 42555.2 | 64070-98-0 |
| --- | Basic Violet 1 | 42535 | 8004-87-3 | --- | Solvent Blue 35 | 61554 | 17354-14-2 |
| --- | Basic Violet 10 | 45170 | 81-88-9 | --- | Solvent Orange 7 | 12140 | 3118-97-6 |
| --- | Basic Violet 3 | 42555 | 548-62-9 | --- | Solvent Red 24 | 26105 | 85-83-6 |
| --- | Disperse Blue 1 | 64500 | 2475-45-8 | --- | Solvent Red 49 | 45170:1 | 509-34-2 |
| --- | Disperse Blue 106 | | 12223-01-7 | --- | Solvent Violet 9 | 42555:1 | 467-63-0 |
| --- | Disperse Blue 124 | | 61951-51-7 | --- | Solvent Yellow 1 | 11000 | 60-09-3 |
| --- | Disperse Blue 3 | 61505 | 2475-46-9 | --- | Solvent Yellow 2 | 11020 | 60-11-7 |
| --- | Disperse Blue 35 | | 12222-75-2 | --- | Solvent Yellow 3 | 11160 | 97-56-3 |
| --- | Disperse Orange 3 | 11005 | 730-40-5 | | | | |

BIELEFELD, 08. OCTOBER 2012

Dr. rer. nat. G. Prior

[---] = below detection limit

[08] The detailed results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

Bank Sparkasse Gütersloh
Account No 400 53 45
Bank Code 478 500 65
SWIFT/BIG WELADED 1 GTL
IBAN DE 87 47850065 000 4005345Address Krackser Straße 12
33659 Bielefeld, Germany
Managing Director Dr. rer. nat. Gerald Prior
Based in Bielefeld
Register of Companies AG Bielefeld, HRB 35-412
VAT ID No DE 176 26 5000[tfn] +49 521 400 82 89 0
[fax] +49 521 446 51 52
[mail] info@cti-bielefeld.de
[homepages] cti-bielefeld.de
cti-tattoo.net
cti-pmu.net



CTL[®] GmbH | Chemical-Technological Laboratory
 Krackser Straße 12 | 33659 Bielefeld | Germany

I MAX INTERNATIONAL SRL
 Viale Emilia 41
 47838 Riccione Rn
 ITALY

| | |
|----------------------|-----------------|
| CTL [®] -No | 354417+355010/4 |
|----------------------|-----------------|

| | |
|--------------------|-----------------------|
| [Order date] | --- |
| [Arrival date CTL] | --- |
| [Date] | 26.06.2012/08.10.2012 |

www.ctf-tattoo.eu

Certificate

[Article] 1 sample of a tattoo colour
 [Brand] FLASHING COLORS
 [Colour] Indigo Violet
 [Test] acc. to COE Resolution ResAP(2008)1: Part 3

| Part 3 Investigation of Heavy Metals according to COE Resolution ResAP(2008)1 Detection limit: 0.01 ppm | | | DIN 38406-E29 Analysis acc. to COE ResAP(89)1 extraction using acidic perspiration | | |
|---|----------------------|-------------|--|----------------------|----------------------------------|
| Amount (ppm) | Elements or compound | Limit (ppm) | Amount (ppm) | Elements or compound | Limit (ppm) |
| --- | Arsenic (As) | ≤ 2 | --- | Nickel (Ni) | As low as technically achievable |
| --- | Barium (Ba) | ≤ 50 | --- | Lead (Pb) | ≤ 2 |
| --- | Cadmium (Cd) | ≤ 0.2 | --- | Selenium (Se) | ≤ 2 |
| --- | Cobalt (Co) | ≤ 25 | --- | Antimony (Sb) | ≤ 2 |
| --- | Chromium (Cr), VI | ≤ 0.2 | --- | Tin (Sn) | ≤ 50 |
| --- | Copper (Cu), soluble | ≤ 25 | --- | Zinc (Zn) | ≤ 50 |
| --- | Mercury (Hg) | ≤ 0.2 | | | |

BIELEFELD, 08. OCTOBER 2012

Dr. rer. nat. G. Prior

[---] = below detection limit

[GB] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

Bank Sparkasse Gütersloh
 Account No 400 53 45
 Bank Code 478 500 65
 SWIFT/BIG WELADED 1 GTL
 IBAN DE 87 47850065 000 4005345

Address Krackser Straße 12
 33659 Bielefeld, Germany
Managing Director Dr. rer. nat. Gerald Prior
 Based in Bielefeld
 Register of Companies AG Bielefeld, HRB 35-412
 VAT ID No DE 176 26 5000

[Tel] +49 521 400 82 89 0
 [Fax] +49 521 446 51 52
 [Email] info@ctf-bielefeld.de
 ctf-bielefeld.de
 ctf-tattoo.net
 ctf-gmu.net



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

I MAX INTERNATIONAL SRL
Viale Emilia 41
47838 Riccione Rn
ITALY

| | |
|----------------------|-----------------------|
| CTL [®] -No | 354417+355010/4 |
| [Order date] | --- |
| [Arrival date CTL] | --- |
| [Date] | 26.06.2012/08.10.2012 |

www.cti-tattoo.eu

Certificate

[Article] 1 sample of a tattoo colour
[Brand] FLASHING COLORS
[Colour] Indigo Violet
[Test] PAH and BaP acc. to COE Resolution ResAP(2008)1: Part 4

| Part 4 Investigation of Polycyclic aromatic hydrocarbons (PAH) and Benzo-a-pyrene (BaP) according to COE ResAP(2008)1 Detection limit: PAH: 0.05 ppm as total; Benzo-a-pyrene: 0.5 ppb Limit: PAH: 0.5 ppm as total; Benzo-a-pyrene: 5 ppb | | EPA, ZEK 2008-01 | |
|--|----------------------|------------------|------------------------|
| Amount (ppm) | Elements or compound | Amount (ppm) | Elements or compound |
| --- | Naphthalene | --- | Benz(a)anthracene |
| --- | Acenaphthylene | --- | Chrysene |
| --- | Acenaphthene | --- | Benzo(b)fluoranthene |
| --- | Fluorene | --- | Benzo(k)fluoranthene |
| --- | Phenanthrene | --- | Dibenzo(a,h)anthracene |
| --- | Anthracene | --- | Indo (1,2,3-cd)pyrene |
| --- | Fluoranthene | --- | Benzo(g,h,i)perylene |
| --- | Pyrene | --- | Benzo-a-pyrene (BaP) |

Result as total: all below detection limit

BIELEFELD, 08. OCTOBER 2012

.....
Dr. rer. nat. G. Prior

[---] = below detection limit

[G:] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

| | | |
|---|--|---|
| Bank Account No 400 53 45 Bank Code 478 500 65 SWIFT/BIG WELADED 1 GTL IBAN DE 87 47850065 000 4005345 | Address Krackser Straße 12 33659 Bielefeld, Germany Managing Director Dr. rer. nat. Gerald Prior Based in Bielefeld Register of Companies AG Bielefeld, HRB 35-412 VAT ID No DE 176 26 5000 | [Tel] +49 521 400 62 89 0 [Fax] +49 521 446 51 52 [Email] info@cti-bielefeld.de [Homepage] cti-bielefeld.de cti-tattoo.net cti-gmu.net |
|---|--|---|



CTL[®] GmbH | Chemical-Technological Laboratory
Krackser Straße 12 | 33659 Bielefeld | Germany

I MAX INTERNATIONAL SRL
Viale Emilia 41
47838 Riccione Rn
ITALY

| | |
|----------------------|------------------------|
| CTL [®] -No | 354417+355010/4 |
| [Order date] | --- |
| [Arrival date CTL] | --- |
| [Date] | 26.06.2012/08.10.2012 |

www.ctl-tattoo.eu

Certificate

[Article] 1 sample of a tattoo colour
 [Brand] FLASHING COLORS
 [Colour] Indigo Violet
 [Test] Sterility acc. to COE Resolution ResAP(2008)1; ASU §64 LFGB L59.00-4;- L06.00-18: Part 5

| | |
|--|-------------------------------|
| Part 5 Investigation of Sterility Detection limit: < 1.0 x 10 ⁰ CFU/g | |
| | Results |
| Microbiological test: pseudomonads = King A, King B, Oxidase test acc. to COE ResAP(2008)1 | < 1.0 x 10 ⁰ CFU/g |
| Anaerobes sulfite-reducing sporulating bacteria acc. to ASU §64 LFGB L59.00-4 | < 1.0 x 10 ⁰ CFU/g |
| Aerobes mesophilic sporulating bacteria acc. to ASU §64 LFGB L06.00-18 | 1.0 x 10 ⁰ CFU/g |

BIELEFELD, 08. OCTOBER 2012

Dr. rer. nat. G. Prior

[G8] The denoted results are only valid for the tested sample. Without our written consent no single part of this report is allowed to be forwarded to third parties.

The validity of the certificate is 2 years.

| | | |
|---|--|--|
| Bank Account No 400 53 45 Bank Code 478 500 65 SWIFT/BIC WELADED 1 GTL IBAN DE 87 47850065 000 4005345 | Address Krackser Straße 12 33659 Bielefeld, Germany Managing Director Based in Dr. rer. nat. Gerald Prior Bielefeld Register of Companies AG Bielefeld, HRB 35-412 VAT ID No DE 176 26 5000 | [fon] +49 521 400 82 89 0 [fax] +49 521 446 51 52 [mail] info@ctl-bielefeld.de [Homepage] ctl-bielefeld.de ctl-tattoo.net ctl-pmu.net |
|---|--|--|